

Originale Silencio xf² 19dB (3.8mm)

Datasheet

Classification	Norm	Tarkett Value
Product type	EN 686	Plain and decorative linoleum on a foam backing
Domestic classification	ISO 10874	23 Heavy
Commercial classification	ISO 10874	33 Heavy
Industrial classification	ISO 10874	41 Moderate
Technical Characteristics	Norm	Tarkett Value
Surface treatment		xf ² [™]
Total thickness	ISO 24346	3,80 mm
Total weight	ISO 23997	3350 g/m ²
Flexibility	ISO 24344 Method A	≤ 30 mm ø Average measured value : 20 mm ø
Performance for CE Marking	Norm	Tarkett Value
CE Marking	EN 14041	EN 14041
Declaration of Performance #	EN 14041	0200 0027 DoP 2013 07
Reaction to fire - Glued on non-combustible substrate	EN 13501-1	Cfl-s1
Slip resistance (EN 13893)	EN 13893	Class DS (μ ≥ 0,30)
Slip resistance	DIN 51130	R9
Static Electrical Propensity	EN 1815	Antistatic (≤ 2 kV)
Thermal conductivity (W/m K)	EN ISO 10456	0.1
Technical Performance	Norm	Tarkett Value
Residual indentation	EN ISO 24343-1	≤ 0,30 mm Average measured value: ca. 0,20 mm
Impact sound reduction - ΔLw	EN ISO 10140-3/EN ISO 717-2	19 dB
Reduction of in-room impact noise	NF S31-074	Class A (≤ 65 dB)
Castor chair	ISO 4918	Suitable for office chairs with castors type W (Norm EN 12529)
Chemical resistance	ISO 26987	Resistant to dilute acids, oils, fats, current solvents and alkalis
Underfloor heating		Suitable (subfloor temperature maximum 27°C)
Light fastness	ISO 105-B02	≥ 6
Determination of antibacterial activity	ISO 22196	Naturally antibacterial (Bacteria mix - Ecoli and MRSA)
Sustainability performances	Norm	Tarkett Value
Recyclability through ReStart®		Offcuts / Post-use - Contact Tarkett for more information
Recycled content		40 %
Carbon Footprint (Cradle-to-Gate, EPD Modules A1-A3)		-0,04 kg CO ₂ eq /m ²
Total Carbon Footprint (EPD Modules A-D, incl. recycling scenario)		-1,15 kg CO ₂ eq /m ²
Total VOC Emissions (after 28 days)	EN 16516	Platinum (≤ 10 μg/m ³)
Dimensions and designs		
Roll		Roll 2 x ≤30m
Number of designs available		2



The above information is subject to modification for the benefit of further improvement (19/02/2026). According to the European Regulation N°305/2011 for CE Marking, the Declarations of Performance are available on our website <https://www.tarkett.com>. Tarkett's instructions regarding installation, cleaning and maintenance should be observed. Please contact Tarkett at the address shown for the instructions.